
North America's Leader in Hazardous Material Information Management
1905 Aston Avenue, Carlsbad, CA 92008
Phone (800) 451-8346 Fax (760) 602-8888

MSDS PRODUCT INFORMATION

Date: 10/07/2005
To: MSDS Requester
From: 3E Company
Subject: The MSDS you have requested

☐ MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communication Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR 1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

☒ MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

☐ MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

☐ MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: Modern Options
Product Name: Golden Glow (DISCONTINUED)

Golden Glow

MATERIAL SAFETY DATA SHEET

=====I PRODUCT IDENTIFICATION =====

TRADE NAME (AS LABELED): Golden Glow

CHEMICAL NAMES, COMMON NAMES: NONE

SYNONYMS: NONE

MANUFACTURER'S NAME:

2325 Third Street #339
San Francisco, Ca 94107
Tel • 415 252 5580
Fax • 415 252 5599

m o d e r n
o p t i o n s

ADDRESS:

BUSINESS PHONE:

=====II HAZARDOUS INGREDIENTS =====

CHEMICAL NAME	CAS #	% w/w	EXPOSURE LIMITS IN AIR	
			TLV ACGIH	PEL OSHA
Sodium Hydroxide*	1310-73-2	1.5-3.5	2 mg/m ³ (C)	2 mg/m ³
Potassium Permanganate	7722-64-7	< 1.0	none	none

THE REMAINING 95 to 98 % INGREDIENTS ARE NON-HAZARDOUS

SARA REPORTING REQUIREMENTS: THE CHEMICAL(S), LISTED IN THE HAZARDOUS INGREDIENTS SECTION, WHICH ARE MARKED WITH AN (*) ARE SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT.

=====III PHYSICAL PROPERTIES =====

VAPOR DENSITY: NO DATA

EVAPORATION RATE (WATER = 1): SIMILAR TO WATER

SPECIFIC GRAVITY: 1.02

MELTING POINT or RANGE: LESS THAN 32° F

SOLUBILITY IN WATER: SOLUBLE

BOILING POINT: GREATER THAN 212° F

VAPOR PRESSURE, mm Hg @ 20 C: NO DATA

APPEARANCE & COLOR: DARK PURPLE LIQUID

pH: 12

HOW TO DETECT THIS SUBSTANCE (warning properties): At room temperature this product is a purple liquid with no odor. No unusual warning properties.

=====IV FIRE and EXPLOSION =====

THIS PRODUCT IS NON-FLAMMABLE AND NON-COMBUSTIBLE

FLASH POINT, F (method): N/A

AUTOIGNITION TEMPERATURE, F: N/A

FLAMMABLE LIMITS in air by volume, %: lower N/A upper N/A

FIRE EXTINGUISHING MATERIALS:

water spray: OK carbon dioxide: OK foam: OK

dry chemical: OK halon: OK other:

SPECIAL FIRE FIGHTING PROCEDURES: If involved in fire, use water spray. Fire Fighters must use Self Contained Breathing Apparatus.

UNUSUAL FIRE & EXPLOSION HAZARDS: NONE

=====V HEALTH HAZARD INFORMATION =====

SYMPTOMS OF OVER EXPOSURE by route of exposure:

INHALATION: Upper respiratory irritation.

CONTACT WITH SKIN or EYES: Irritation and/or reddening and to skin and eyes.

SKIN ABSORPTION: This product does not skin absorb to any appreciable degree.

INGESTION: Irritation to the GI tract, nausea, vomiting.

INJECTION: Local irritation at the site of injection, possible systemic

injury depending on dose.

HEALTH EFFECTS OR RISKS FROM EXPOSURE An explanation in lay terms.

ACUTE: This product cause may reddening, irritation, or burns to the eyes or skin. Irritation to the nose or throat may occur if you breath the product vapors.

CHRONIC: Long term exposure to this product to may cause severe and/or persistent irritation and/or sensitizing to the eyes and skin. Irritation to the nose or throat.

FIRST AID EMERGENCY PROCEDURES:

If spilled on skin or eyes, immediately begin decontamination with running water. Remove exposed or contaminated clothing, taking care not to contaminate eyes. Victim & rescuers must seek immediate medical attention. If chemical is in eyes, open victim's eyes while under gentle running water. Use sufficient force to open eye lids. Have victim "roll" eyes. Minimum flushing is for 15 minutes. If chemical is inhaled, remove victim to fresh air and use artificial respiration to support vital functions. Remove or cover gross contamination to avoid exposure to rescuer's. If chemical is swallowed, CALL PHYSICIAN OR POISON CONTROL CENTER FOR MOST CURRENT INFORMATION. If professional advice is not available, dilute by drinking several glasses of water. Never give diluents (milk or water) to or induce vomiting in someone who is unconscious, having convulsions, or can not swallow.

Victim of chemical exposure and all rescuers must be taken for medical attention. Take copy of label and MSDS to physician or health professional with victim.

SUSPECTED CANCER AGENT?

This product's ingredient's are / are not found on the following lists:

<u>OSHA Z-2 LIST</u>	<u>NTP</u>	<u>IARC</u>
NO	NO	NO

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Any preexisting skin irritation or dermatitis can be aggravated by exposure to this product. Upper respiratory disfunction may also be aggravated by inhalation of the vapors of this product.

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms of exposure.

=====VI REACTIVITY DATA =====

STABILITY: Stable under normal conditions.

CONDITIONS TO AVOID: NONE

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Strong acids.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR CONDITIONS TO AVOID: N/A

=====VII SPILL, LEAK, and DISPOSAL INFORMATION =====

SPILL & LEAK RESPONSE: Uncontrolled releases should be responded to using training people and pre-planned procedures. Proper protective equipment should be used. In case of a spill, clear the affected area, protect people, and respond with trained personnel. Minimum PPE should be hard hat with face shield, splash goggles, respiratory protection (SCBA, unless conditions warrant lower protection), hand and body protection, and chemical protective boots.

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with

appropriate federal, state, and local regulations. This chemical, if unaltered by the handling, may be disposed of by standard industrial waste water treatment process.

=====VIII SPECIAL HANDLING INFORMATION=====

VENTILATION & ENGINEERING CONTROLS: Use ventilation adequate to keep the airborne concentration below the TLV or the PEL (which ever is less) of the hazardous constituents.

RESPIRATORY PROTECTION: If ventilation is not adequate to reduce exposure to this product to a safe level, supplied air or respirator with approved NIOSH cartridge must be used.

EYE PROTECTION: Chemical splash goggles. HAND PROTECTION: Chemical resistant gloves.

BODY PROTECTION: Chemical resistant apron or full body protective clothing if the potential for whole body contamination exists.

WORK PRACTICES & HYGIENE PRACTICES: Observe all applicable and reasonable work practices consistent with the use of this product. Wash thoroughly with soap and water after each use.

STORAGE & HANDLING PRACTICES: Store in tightly closed container in cool dry location, protected from environmental extremes.

===== IX LABELING =====

LABELING (Precautionary Statements): DANGER! Keep out of reach of children. Contact with skin or eyes may cause burns. Harmful if ingested. Avoid contact with eyes, skin, food, cooking and eating utensils, clothing. Do not inhale fumes or vapors.

DOT LABEL(S): CORROSIVE

=====PREPARED BY=====

CHEMICAL SAFETY ASSOCIATES, Inc. 9163 Chesapeake Dr. San Diego, CA 92123
619/565-0302

DATE OF PREPARATION: August 28, 1991